


# VAHAB



# VAHAB

ENGINEERING SERVICE

General Catalog 2013

19" CASES



**VAHAB** Engineering Service

## CASES


**1 U:**

**Side panels:**


extruded aluminum section Installation dimensions for  
plug in assemblies to IEC297-3




## Type I




## Type II



## 2U TYPE 1






2 U:





Type II

3 U:



6 U:






## 19" CASES

**VAHAB** Engineering Service

Row	Description
1	Top cover
2	Cross rails
3	Back panel
4	Trim
5	Front panel
6	Cross rails
7	Handle
8	Mounting flanges
9	Side panel extruded
10	Cross rails
11	Bottom cover
12	Bottom plate



### Type III

#### 19" Cases :

- Desktop or Portable case
- Aluminum case
- Height 1-2,3U
- For 19" components or individual
- Electrical equipment
- Flexible assemblies
- Choice of surface finish
- Panel cut outs



**Application :**

Maybe used as a rackmounted inclosure or instrument case.

External dimensions to IEC 60 297- 1 for installation in 482.6 mm ( 19" Racks )

Installation dimension for board type plugged in units to IEC 60 297 - 3 -101

**Material:**

Site panels : Extruded aluminium section, Spray - finished.

Cross rail: Extruded aluminium section.

**Colur:** RAL 7032

**NOTE:**

Corner Trims, flanges and top and bottom cover plates as well as horizontal rails for further configuration must be ordered in addition to this.

**WITH DRAWABLE****Type IV**



# 19" CASES

**VAHAB** Engineering Service

U	Installation width (HP)	Installation depth (mm)	Order NO. Type I	Order NO. Type II	Order NO. Type III	Order NO. Type IV
1	42	500				
		450				
		400				
		350				
		300				
1	63	500				
		450				
		400				
		350				
		300				
1	84	500				
		450				
		400				
		350				
		300				
2	42	500				
		450				
		400				
		350				
		300				
2	63	500				
		450				
		400				
		350				
		300				
2	84	500				
		450				
		400				
		350				
		300				
3	42	500				
		450				
		400				
		350				
		300				
3	63	500				
		450				
		400				
		350				
		300				
3	84	500				
		450				
		400				
		350				
		300				
4	42	500				
		450				
		400				
		350				
		300				
4	63	500				
		450				
		400				
		350				
		300				
4	84	500				
		450				
		400				
		350				
		300				

U	Installation width (HP)	Installation depth (mm)	Order NO. Type I	Order NO. Type II	Order NO. Type III	Order NO. Type IV
5	42	500				
		450				
		400				
		350				
		300				
5	63	500				
		450				
		400				
		350				
		300				
5	84	500				
		450				
		400				
		350				
		300				
6	42	500				
		450				
		400				
		350				
		300				
6	63	500				
		450				
		400				
		350				
		300				
6	84	500				
		450				
		400				
		350				
		300				
7	42	500				
		450				
		400				
		350				
		300				
7	63	500				
		450				
		400				
		350				
		300				
7	84	500				
		450				
		400				
		350				
		300				
8	42	500				
		450				
		400				
		350				
		300				
8	63	500				
		450				
		400				
		350				
		300				
8	84	500				
		450				
		400				
		350				
		300				

Unit 2, No 100, Between Azmayesh bridge and shahr ara, Jalal Al Ahmad Broadway, Tehran - Iran

Tel/Fax: +98 21 88484368 & +98 21 88245870

Mob : +98 912 2264817 , +98 912 1463667

[www.vahab-case.com](http://www.vahab-case.com)

E-mail: [vghahramani@yahoo.com](mailto:vghahramani@yahoo.com)